Honeywell | Safety Products

Product Family NorthFlex Oil Grip[™] - NF35

USA

Nitrile coating has a microfinish coating to provide exceptional grip on objects in oily applications. Lightweight13 gauge nylon shell is green, nitrile coating is black - hides dirt and grime for longer wear. Knit wrist, open back for added ventilation



Product Numbers & Ordering Information

Product Numbers Details



NorthFlex-Neon™ -Oil Grip

NorthFlex-Oil Grip[™] - 13 gauge green nylon seamless liner - black, high-grip textured nitrile palm coating - knit wrist - sizes: 7S, 8M, 9L, 10XL, 11XXL

Packaging Information

12 pair per pack, 144 pair per case

Overview

Key Features

Nitrile coating has a microfinish coating to provide exceptional grip on objects in oily applications. Lightweight13 gauge nylon shell is green, nitrile coating is black - hides dirt and grime for longer wear. Knit wrist, open back for added ventilation

Recommended Industries/Use

Manufacturing
 Oil and Gas

Hazards

Abrasion

Regulations

- ANSI/ISEA 105 ASTM D3389-05 Abrasion Test
- ANSI/ISEA 105 ASTM F1790-97 Cut Test
- EN388 Mechanical risks from abrasion, cut, tear and puncture
- EN420 General Requirements This standard defines the general requirements for protective gloves in terms of construction, fitness of purpose and safety.
- OSHA Standard -29 CFR 1915.157 The employer shall ensure that each affected employee uses appropriate hand
 protection and other protective clothing where there is exposure to hazards such as skin absorption of harmful
 substances, severe cuts or lacerations, severe abrasions, punctures, chemical burns, thermal burns, harmful

Page 1 of 3 © Honeywell International Inc. Q

temperature extremes, and sharp objects.

Warranty Information

LIMITED WARRANTY. Except for any warranty for a particular product or part specifically stated in our product literature, we warrant all goods sold under this agreement against defects in materials and workmanship for one year from shipment. In the event of such defects, we will, at our sole option and as your exclusive remedy, repair or replace the defective product without charge, or refund the price you have paid. In order for this warranty to be effective, you must notify us within 15 days of discovery of the defect. you must return the defective product to us within the warranty period, properly packaged and with insurance and transportation costs prepaid. We will reship the product to you at our expense in the United States. Products will conform to Honeywell published specifications if properly used and maintained and will be free from defects in materials and/or workmanship. no changes to Honeywell published specifications will be valid without Honeywell written consent. This warranty does not cover defects which we determine are because of accident, alteration, modification, negligence, misuse, abuse failure to perform adequate maintenance, or normal wear and tear.

Specifications

Ambidextrous or Hand Specific

Hand specific

Coating

• Nitrile - Mico-Finish

Coating Color

Black

Coating Pattern

• Full palm, and fingers

Construction

- · Seamless knit, dipped
- Cuff
 - Knit

Gauge / mil

• 13 ga.

Glove Type

• General purpose

Length

• NA

Liner

• NA

Material

Nylon

Material Color

• Green

Overedge

• Green (XS), Red (S), Blue (M), Yellow (L), White (XL), Orange (XXL)

Supported or Unsupported

• NA

Surface Finish

• NA

Technical Support

Technical Support is available Monday through Friday, 8:00 AM to 7:00 PM EST. 1.800.873.5242 hsptechsupport@honeywell.com

© Honeywell International Inc.